

DECT6.0/DECT CORDLESS SKYPE PHONE WITHOUT CONNECT COMPUTER
SKYPE USB DONGLE.MAKE YOUR DECT PHONE A SKYPE PHONE



S-2000



S-4000



UG-9902A



No PC Needed

DECT6.0/DECT CORDLESS SKYPE PHONE WITHOUT CONNECT COMPUTER

MODEL:S-2000/S-3000 /S-4000

- DECT/DECT6.0 Skype CORDLESS PHONE WITHOUT CONNECT COMPUTER
- GAP COMPATIBLE
- COLOR LCD DISPLAY
- STORE 200 CONTACTS Skype A/C
- 20 VIP CONTACTS Skype OUT AND/OR PSTN/ MOBILE PHONE
- SPEED DIAL 10 CONTACTS Skype OUT
- INCOMING CALL NAME DISPLAY
- DISPLAY CONTACTS ON – LINE STATUS
- HANDFREE TALK
- ADJUST HANDSET VOLUME AND RINGER MELODY
- CALL LOG DISPLAY
- LOW BATTERY WARNING BEEP TONE
- DISTANCE RANGE:20-50M (INDOOR) OR 300M (OUTDOOR)
- TALK TIME:8 HRS
- STANDBY TIME:120 HRS.

SKYPE USB DONGLE.MAKE YOUR DECT PHONE A SKYPE PHONE

MODEL:UG-9902A

THE DECT6.0/DECT PHONE IS NO LONGER JUST A FIXED-LINE PHONE BY REGISTERING YOUR PHONE WITH OUR USB DONGLE, YOUR DECT PHONE CAN ALSO DOUBLE AS A SKYPE PHONE. ANSWER SKYPE CALLS ANYWHERE AT YOUR CONVENIENCE. IN THE HOUSE WITH A CORDLESS, OR FORWARDING CALLS TO YOUR MOBILE WHEN YOU ARE OUTDOORS ,YOU ARE TIED DOWN TO YOUR COMPUTER NO LONGER. COMPLETE WITH A ROBUST ANSWERING SYSTEM, YOU WILL NEVER MISS A CALL AGAIN

DECT6.0/DECT PABX SYSTEM

DECT6.0/DECT REPEATER



UT-200D



UT-300D



UT-400D



UT-300R

DECT6.0/DECT PABX SYSTEM

MODEL:UT-400D

4 LINE DIGITAL EXPANDABLE CORDLESS PABX
REGISTER UP TO 15 HANDSETS
AUTOMATED ATTENDANT SYSTEM(DISA)
GAP COMPATIBLE
HANDSET INTERCOM
FSK/DTMF CID DISPLAY

MODEL:UT-300D

3 LINE DIGITAL EXPANDABLE CORDLESS PABX
REGISTER UP TO 12 HANDSETS
AUTOMATED ATTENDANT SYSTEM(DISA)
GAP COMPATIBLE
HANDSET INTERCOM
FSK/DTMF CID DISPLAY

MODEL:UT-200D

2LINE DIGITAL EXPANDABLE CORDLESS PABX
REGISTER UP TO 9 HANDSETS
GAP COMPATIBLE
HANDSET INTERCOM
FSK/DTMF CID DISPLAY

DECT6.0/DECT REPEATER

MODEL:UT-300R

SUPPORT 4 ACTIVE HANDSETS
VIA 4 CHANNELS
NEARLY DOUBLE THE RANGE OF YOUR
DECT PHONE
1880 TO 1930 MHz Frequency band

SPEAKER PHONE WITH CALLER ID
BIG BUTTON EMERGENCY PHONE
HOTEL SPEAKER PHONE



UT9810



UT9900



UT4140E



UT9908



UT4016



UT9450

SPEAKER PHONE WITH CALLER ID

MODEL:UT9810
UT9908
UT9900
UT4016

BATTERY FREE SOLUTION SPEAKER PHONE , CALLER ID, PHONE BOOK, MESSAGE WAITING AND INCOMING CALL INDICATION

BIG BUTTON EMERGENCY PHONE

MODEL:UT4140E

BIG BUTTON EMERGENCY PHONE WITH 3 EMERGENCY KEYS(SOS) 76 CALLER ID, SPEAKERPHONE, AUTO ANSWERING SYSTEM

HOTEL SPEAKER PHONE

MODEL:UT9450B

HOTEL SPEAKER PHONE WITH 10 GUEST SERVICE BUTTON MESSAGE WAITING AND INCOMING CALL INDICATION

DECT6.0/DECT PHONE

SOS EMERGENCY PHONE WITH CORDLESS PENDANT



UT1800



UT8300



UT5609



UT700



DECT6.0/DECT PHONE

MODEL:UT8300

UT5609

UT1800

1880-1930 MHz FREQUENCY BAND

DOT-MATRIX LCD DISPLAY

HIGH QUALITY & FULL DUPLEX SPEAKER PHONE

MULTI-HANDSET COMPATIBLE

(MAX 5 HANDSET)

CALL WAITING & GAP COMPATIBLE

SOS EMERGENCY PHONE WITH CORDLESS PENDANT

MODEL:UT700

EMERGENCY PHONE WITH CORDLESS PENDANT

3 SOS KEY, PHONE BOOK,

CORDLESS PENDANT DIAL OUT EMERGENCY

PHONE NUMBER

TELPAD

2.4 INCH VIDEO/AUDIO BABY MONITOR

DECT6.0/DECT MODULE




UT5400



UT8110



UT95



UM-9802



UM-9901

TELPAD

MODEL:UT95

7" MID+COMBO DECT+VOIP
SUPPORT PSTN AND VOIP
FUNCTIONS
VIDEO CALL SUPPORT
SUPER PHONEBOOK FUNCTION
SUPPORT
TOUCH KEY BUTTON
HF/MUTE/RECALL/FLASH/
REDIAL FUNCTION
VOLUME CONTROL
3 ONE TOUCH MEMORY
PORTABLE TABLET FUNCTION

DIGITAL AUDIO BABY MONITOR

MODEL:UT8110

PLATFORM: DECT6.0/DECT 1.88-1.93
Mhz
MONITOR TIME WHEN VOX ON AT 24
HRS

MODEL:UT5400

2.4 INCH VIDEO BABY MONITOR
PLATFORM :2.4GHz
MONITOR:RANGE OUTDOOR 150 M
IN FULL DIRECTION
MULTI-TRANSMISSION SUPPORT TO
4 CAMERA
MAX MONITOR TIME WHEN VOX ON
8 HRS
LCD TYPE:2.4 INCH TFT COLOUR DISPLAY
VIDEO COMPRESSION FORMAT:MOTION
JPEG

CAT-iq DECT MODULE

MODEL:UM-9802

CAT-iq DECT6.0/DECT
MODULE
GAP COMPATIBLE
REGISTER UP TO 15 HANDSET
PCI CONNECTOR PIN
FULL DUPLEX COMMUNICA
TION
SUPPORT STANDARD UART
AND SPI INTERFACE

MODEL:UM-9901

USB-DONGLE MODULE
GAP COMPATIBLE
REGISTER UP TO 4 HANDSETS
SUPPORT USB HID BUS
FULL DUPLEX COMMUNICA
TION USB2.0